



VIGGLAS[®]
by Picco&Martini

PROJECT DATAS

- Date:
- Customer name:
- Project name:
- Project Location:
- Type of project: [] new one [] refurbishment
- Estimated delivery time (installation):

Number of doors & fire classifications


Fire Rating	Q	Comments
EI30 – 1 leaf		
EI30 – 2 leaves		
EI60 – 1 leaf		
EI60 – 2 leaves		

TYPE of DOOR

STEP 1

- Choose the type of door you need:
 - Simple leaf door → AS
 - Double leaf door
 - Symetric → ADS
 - Asymetric → ADA

In case of asymetric door, define the width of the small leaf.



AS

ADS

ADA

W mm



TYPE of CONSTRUCTION SUPPORT

STEP 2

- Choose the type of construction support you have:
 - Masonry → **A**
 - Plasterboard partition → **B**
 - Glass Partition with Frame → **C**
 - Steel Tube Frame
 - Vision Steel Fram
 - Wooden fram
 - Vision Line Partition → **D**
 - Steel Tube Frame
 - Vision Steel Frame
 - Wooden frame


A



C



B







D



GLAZED SIDE PANELS or GLAZED UPPER PANELS

STEP 2 bis (only in case of fixed glazed part in transom or side panel)

- Inform us about the type of glazed side or upper panel around the door:
 - No Glazed panel
 - Upper panel only → **A**
 - One side panel → **B**
 - Both sides panel → **C**
 - Upper and side panel → **D**




DIMENSIONS of the OPENING

STEP 3

- Indicate the Width and Height of each opening;
- Indicate the number of openings of the same dimensions;

In case of different dimensions per opening, please repeat this step as many times as needed.




W		mm
H		mm
x		pces

TYPE of DOOR HANDLE

STEP 4

- Choose the type of door handle you need*:
 - No Handle → **A**
 - Button → **B**
 - Short Handle → **C**
 - Long Handle → **D1** or **D2**

(*) standard handle finish is stainless steel



FINISHES | COLORS

STEP 5

- Choose the type of finishes or colors you need for the door and the handles:
 - Standard colours *
 - Inox (Stainless Steel)
 - Painted Alu (RAL to be defined)

*standard colours: black, silver and according to stock

RAL

Handles: same color as the door?

YES


NO



STEP 6

• Choose the options you want to add to your door:

- Electromechanical piston lock on the upper part of the door → **A**
- Electromagnetic Hold Open Floor Spring → **B**
- Electromagnetic Lock → **C**
- Mechanical Lock → **D**



B



C




OPTIONS (only on masonry wall)

STEP 7

- If the flatness of the construction support and its squaring are not correct, you can choose among different adaptable frames to get a perfect squaring
 - No Frame → **E***
 - Promatect strip with cover → **E1**
 - Small steel tube with cover → **E2**
 - Steel tube hybrid 1 + cover → **E3**

(*) Only if opening with perfect squaring



VI  GLAS[®]
by Picco&Martini

More info: Picco&Martini srl – Via Teofilo Casale 1 – 10070 Robassomero (TO) – Italy

Tel: +39 011 4242133 | fax: +39 011 4241659 | www.piccoemartini.it | www.pyrobel.net | email: export@piccoemartini.it

